

This chapter presents methods for representing a graph and for searching a graph. Searching a graph means systematically following the edges of the graph so as to visit the vertices of the graph. A graph-searching algorithm can discover much about the structure of a graph. Many algorithms begin by searching their input graph to obtain this structural information. Other graph algorithms are organized as simple elaborations of basic graph-searching algorithms. Techniques for searching a graph are at the heart of the field of graph algorithms.


Section 23.1 discusses the two most common computational representations of graphs: as adjacency lists and as adjacency matrices. Section 23.2 presents a simple graph-searching algorithm called breadth-first search and shows how to create a breadth-first tree. Section 23.3 presents depth-first search and proves some standard results about the order in which depth-first search visits vertices. Section 23.4 provides our first real application of depth-first search: topologically sorting a directed acyclic graph. A second application of depth-first search, finding the strongly connected components of a directed graph, is given in Section 23.5.

---


### 23.1 Representations of graphs

There are two standard ways to represent a graph  $G = (V, E)$ : as a collection of adjacency lists or as an adjacency matrix. The adjacency-list representation is usually preferred, because it provides a compact way to represent *sparse* graphs—those for which  $|E|$  is much less than  $|V|^2$ . Most of the graph algorithms presented in this book assume that an input graph is represented in adjacency-list form. An adjacency-matrix representation may be preferred, however, when the graph is *dense*— $|E|$  is close to  $|V|^2$ —or when we need to be able to tell quickly if there is an edge connecting two given vertices. For example, two of the all-pairs shortest-paths algorithms presented in Chapter 26 assume that their input graphs are represented by adjacency matrices.

The **adjacency-list representation** of a graph  $G = (V, E)$  consists of an array *Adj* of  $|V|$  lists, one for each vertex in  $V$ . For each  $u \in V$ , the



**Figure 23.1** Two representations of an undirected graph. (a) An undirected graph  $G$  having five vertices and seven edges. (b) An adjacency-list representation of  $G$ . (c) The adjacency-matrix representation of  $G$ .



**Figure 23.2** Two representations of a directed graph. (a) A directed graph  $G$  having six vertices and eight edges. (b) An adjacency-list representation of  $G$ . (c) The adjacency-matrix representation of  $G$ .

adjacency list  $Adj[u]$  contains (pointers to) all the vertices  $v$  such that there is an edge  $(u, v) \in E$ . That is,  $Adj[u]$  consists of all the vertices adjacent to  $u$  in  $G$ . The vertices in each adjacency list are typically stored in an arbitrary order. Figure 23.1(b) is an adjacency-list representation of the undirected graph in Figure 23.1(a). Similarly, Figure 23.2(b) is an adjacency-list representation of the directed graph in Figure 23.2(a).

If  $G$  is a directed graph, the sum of the lengths of all the adjacency lists is  $|E|$ , since an edge of the form  $(u, v)$  is represented by having  $v$  appear in  $Adj[u]$ . If  $G$  is an undirected graph, the sum of the lengths of all the adjacency lists is  $2|E|$ , since if  $(u, v)$  is an undirected edge, then  $u$  appears in  $v$ 's adjacency list and vice versa. Whether a graph is directed or not, the adjacency-list representation has the desirable property that the amount of memory it requires is  $O(\max(V, E)) = O(V + E)$ .

Adjacency lists can readily be adapted to represent **weighted graphs**, that is, graphs for which each edge has an associated **weight**, typically given by a **weight function**  $w : E \rightarrow \mathbf{R}$ . For example, let  $G = (V, E)$  be a weighted graph with weight function  $w$ . The weight  $w(u, v)$  of the edge  $(u, v) \in E$  is simply stored with vertex  $v$  in  $u$ 's adjacency list. The adjacency-list

representation is quite robust in that it can be modified to support many other graph variants.

A potential disadvantage of the adjacency-list representation is that there is no quicker way to determine if a given edge  $(u, v)$  is present in the graph than to search for  $v$  in the adjacency list  $Adj[u]$ . This disadvantage can be remedied by an adjacency-matrix representation of the graph, at the cost of using asymptotically more memory.

For the **adjacency-matrix representation** of a graph  $G = (V, E)$ , we assume that the vertices are numbered  $1, 2, \dots, |V|$  in some arbitrary manner. The adjacency-matrix representation of a graph  $G$  then consists of a  $|V| \times |V|$  matrix  $A = (a_{ij})$  such that

$$a_{ij} = \begin{cases} 1 & \text{if } (i, j) \in E, \\ 0 & \text{otherwise.} \end{cases}$$

Figures 23.1(c) and 23.2(c) are the adjacency matrices of the undirected and directed graphs in Figures 23.1(a) and 23.2(a), respectively. The adjacency matrix of a graph requires  $\Theta(V^2)$  memory, independent of the number of edges in the graph.

Observe the symmetry along the main diagonal of the adjacency matrix in Figure 23.1(c). We define the **transpose** of a matrix  $A = (a_{ij})$  to be the matrix  $A^T = (a_{ij}^T)$  given by  $a_{ij}^T = a_{ji}$ . Since in an undirected graph,  $(u, v)$  and  $(v, u)$  represent the same edge, the adjacency matrix  $A$  of an undirected graph is its own transpose:  $A = A^T$ . In some applications, it pays to store only the entries on and above the diagonal of the adjacency matrix, thereby cutting the memory needed to store the graph almost in half.

Like the adjacency-list representation of a graph, the adjacency-matrix representation can be used for weighted graphs. For example, if  $G = (V, E)$  is a weighted graph with edge-weight function  $w$ , the weight  $w(u, v)$  of the edge  $(u, v) \in E$  is simply stored as the entry in row  $u$  and column  $v$  of the adjacency matrix. If an edge does not exist, a NIL value can be stored as its corresponding matrix entry, though for many problems it is convenient to use a value such as 0 or  $\infty$ .

Although the adjacency-list representation is asymptotically at least as efficient as the adjacency-matrix representation, the simplicity of an adjacency matrix may make it preferable when graphs are reasonably small. Moreover, if the graph is unweighted, there is an additional advantage in storage for the adjacency-matrix representation. Rather than using one word of computer memory for each matrix entry, the adjacency matrix uses only one bit per entry.

## Exercises

## 23.1-1

Given an adjacency-list representation of a directed graph, how long does it take to compute the out-degree of every vertex? How long does it take to compute the in-degrees?

## 23.1-2

Give an adjacency-list representation for a complete binary tree on 7 vertices. Give an equivalent adjacency-matrix representation. Assume that vertices are numbered from 1 to 7 as in a binary heap.

## 23.1-3

The **transpose** of a directed graph  $G = (V, E)$  is the graph  $G^T = (V, E^T)$ , where  $E^T = \{(v, u) \in V \times V : (u, v) \in E\}$ . Thus,  $G^T$  is  $G$  with all its edges reversed. Describe efficient algorithms for computing  $G^T$  from  $G$ , for both the adjacency-list and adjacency-matrix representations of  $G$ . Analyze the running times of your algorithms.

## 23.1-4

Given an adjacency-list representation of a multigraph  $G = (V, E)$ , describe an  $O(V + E)$ -time algorithm to compute the adjacency-list representation of the “equivalent” undirected graph  $G' = (V, E')$ , where  $E'$  consists of the edges in  $E$  with all multiple edges between two vertices replaced by a single edge and with all self-loops removed.

## 23.1-5

The **square** of a directed graph  $G = (V, E)$  is the graph  $G^2 = (V, E^2)$  such that  $(u, w) \in E^2$  if and only if for some  $v \in V$ , both  $(u, v) \in E$  and  $(v, w) \in E$ . That is,  $G^2$  contains an edge between  $u$  and  $w$  whenever  $G$  contains a path with exactly two edges between  $u$  and  $w$ . Describe efficient algorithms for computing  $G^2$  from  $G$  for both the adjacency-list and adjacency-matrix representations of  $G$ . Analyze the running times of your algorithms.

## 23.1-6

When an adjacency-matrix representation is used, most graph algorithms require time  $\Theta(V^2)$ , but there are some exceptions. Show that determining whether a directed graph contains a **sink**—a vertex with in-degree  $|V| - 1$  and out-degree 0—can be determined in time  $O(V)$ , even if an adjacency-matrix representation is used.

## 23.1-7

The **incidence matrix** of a directed graph  $G = (V, E)$  is a  $|V| \times |E|$  matrix  $B = (b_{ij})$  such that

$$b_{ij} = \begin{cases} -1 & \text{if edge } j \text{ leaves vertex } i, \\ 1 & \text{if edge } j \text{ enters vertex } i, \\ 0 & \text{otherwise.} \end{cases}$$

Describe what the entries of the matrix product  $BB^T$  represent, where  $B^T$  is the transpose of  $B$ .

## 23.2 Breadth-first search

**Breadth-first search** is one of the simplest algorithms for searching a graph and the archetype for many important graph algorithms. Dijkstra's single-source shortest-paths algorithm (Chapter 25) and Prim's minimum-spanning-tree algorithm (Section 24.2) use ideas similar to those in breadth-first search.

Given a graph  $G = (V, E)$  and a distinguished **source** vertex  $s$ , breadth-first search systematically explores the edges of  $G$  to “discover” every vertex that is reachable from  $s$ . It computes the distance (fewest number of edges) from  $s$  to all such reachable vertices. It also produces a “breadth-first tree” with root  $s$  that contains all such reachable vertices. For any vertex  $v$  reachable from  $s$ , the path in the breadth-first tree from  $s$  to  $v$  corresponds to a “shortest path” from  $s$  to  $v$  in  $G$ , that is, a path containing the fewest number of edges. The algorithm works on both directed and undirected graphs.

Breadth-first search is so named because it expands the frontier between discovered and undiscovered vertices uniformly across the breadth of the frontier. That is, the algorithm discovers all vertices at distance  $k$  from  $s$  before discovering any vertices at distance  $k + 1$ .

To keep track of progress, breadth-first search colors each vertex white, gray, or black. All vertices start out white and may later become gray and then black. A vertex is **discovered** the first time it is encountered during the search, at which time it becomes nonwhite. Gray and black vertices, therefore, have been discovered, but breadth-first search distinguishes between them to ensure that the search proceeds in a breadth-first manner. If  $(u, v) \in E$  and vertex  $u$  is black, then vertex  $v$  is either gray or black; that is, all vertices adjacent to black vertices have been discovered. Gray vertices may have some adjacent white vertices; they represent the frontier between discovered and undiscovered vertices.

Breadth-first search constructs a breadth-first tree, initially containing only its root, which is the source vertex  $s$ . Whenever a white vertex  $v$  is discovered in the course of scanning the adjacency list of an already discovered vertex  $u$ , the vertex  $v$  and the edge  $(u, v)$  are added to the tree. We say that  $u$  is the **predecessor** or **parent** of  $v$  in the breadth-first tree. Since a vertex is discovered at most once, it has at most one parent. Ancestor and descendant relationships in the breadth-first tree are defined

relative to the root  $s$  as usual: if  $u$  is on a path in the tree from the root  $s$  to vertex  $v$ , then  $u$  is an ancestor of  $v$  and  $v$  is a descendant of  $u$ .

The breadth-first-search procedure BFS below assumes that the input graph  $G = (V, E)$  is represented using adjacency lists. It maintains several additional data structures with each vertex in the graph. The color of each vertex  $u \in V$  is stored in the variable  $color[u]$ , and the predecessor of  $u$  is stored in the variable  $\pi[u]$ . If  $u$  has no predecessor (for example, if  $u = s$  or  $u$  has not been discovered), then  $\pi[u] = \text{NIL}$ . The distance from the source  $s$  to vertex  $u$  computed by the algorithm is stored in  $d[u]$ . The algorithm also uses a first-in, first-out queue  $Q$  (see Section 11.1) to manage the set of gray vertices.

BFS( $G, s$ )


```

1  for each vertex  $u \in V[G] - \{s\}$ 
2      do  $color[u] \leftarrow \text{WHITE}$ 
3       $d[u] \leftarrow \infty$ 
4       $\pi[u] \leftarrow \text{NIL}$ 
5   $color[s] \leftarrow \text{GRAY}$ 
6   $d[s] \leftarrow 0$ 
7   $\pi[s] \leftarrow \text{NIL}$ 
8   $Q \leftarrow \{s\}$ 
9  while  $Q \neq \emptyset$ 
10     do  $u \leftarrow \text{head}[Q]$ 
11     for each  $v \in \text{Adj}[u]$ 
12         do if  $color[v] = \text{WHITE}$ 
13             then  $color[v] \leftarrow \text{GRAY}$ 
14                  $d[v] \leftarrow d[u] + 1$ 
15                  $\pi[v] \leftarrow u$ 
16                 ENQUEUE( $Q, v$ )
17     DEQUEUE( $Q$ )
18      $color[u] \leftarrow \text{BLACK}$ 
```

Figure 23.3 illustrates the progress of BFS on a sample graph.

The procedure BFS works as follows. Lines 1–4 paint every vertex white, set  $d[u]$  to be infinity for every vertex  $u$ , and set the parent of every vertex to be NIL. Line 5 paints the source vertex  $s$  gray, since it is considered to be discovered when the procedure begins. Line 6 initializes  $d[s]$  to 0, and line 7 sets the predecessor of the source to be NIL. Line 8 initializes  $Q$  to the queue containing just the vertex  $s$ ; thereafter,  $Q$  always contains the set of gray vertices.

The main loop of the program is contained in lines 9–18. The loop iterates as long as there remain gray vertices, which are discovered vertices that have not yet had their adjacency lists fully examined. Line 10 determines the gray vertex  $u$  at the head of the queue  $Q$ . The for loop of lines 11–16 considers each vertex  $v$  in the adjacency list of  $u$ . If  $v$  is white, then it has not yet been discovered, and the algorithm discovers it



**Figure 23.3** The operation of BFS on an undirected graph. Tree edges are shown shaded as they are produced by BFS. Within each vertex  $u$  is shown  $d[u]$ . The queue  $Q$  is shown at the beginning of each iteration of the **while** loop of lines 9–18. Vertex distances are shown next to vertices in the queue.

by executing lines 13–16. It is first grayed, and its distance  $d[v]$  is set to  $d[u] + 1$ . Then,  $u$  is recorded as its parent. Finally, it is placed at the tail of the queue  $Q$ . When all the vertices on  $u$ 's adjacency list have been examined,  $u$  is removed from  $Q$  and blackened in lines 17–18.

### Analysis

Before proving all the various properties of breadth-first search, we take on the somewhat easier job of analyzing its running time on an input graph  $G = (V, E)$ . After initialization, no vertex is ever whitened, and thus the test in line 12 ensures that each vertex is enqueued at most once, and hence dequeued at most once. The operations of enqueueing and dequeuing take  $O(1)$  time, so the total time devoted to queue operations is  $O(V)$ .

Because the adjacency list of each vertex is scanned only when the vertex is dequeued, the adjacency list of each vertex is scanned at most once. Since the sum of the lengths of all the adjacency lists is  $\Theta(E)$ , at most  $O(E)$  time is spent in total scanning adjacency lists. The overhead for initialization is  $O(V)$ , and thus the total running time of BFS is  $O(V + E)$ . Thus, breadth-first search runs in time linear in the size of the adjacency-list representation of  $G$ .

### Shortest paths

At the beginning of this section, we claimed that breadth-first search finds the distance to each reachable vertex in a graph  $G = (V, E)$  from a given source vertex  $s \in V$ . Define the **shortest-path distance**  $\delta(s, v)$  from  $s$  to  $v$  as the minimum number of edges in any path from vertex  $s$  to vertex  $v$ , or else  $\infty$  if there is no path from  $s$  to  $v$ . A path of length  $\delta(s, v)$  from  $s$  to  $v$  is said to be a **shortest path**<sup>1</sup> from  $s$  to  $v$ . Before showing that breadth-first search actually computes shortest-path distances, we investigate an important property of shortest-path distances.

#### Lemma 23.1

Let  $G = (V, E)$  be a directed or undirected graph, and let  $s \in V$  be an arbitrary vertex. Then, for any edge  $(u, v) \in E$ ,

$$\delta(s, v) \leq \delta(s, u) + 1.$$

**Proof** If  $u$  is reachable from  $s$ , then so is  $v$ . In this case, the shortest path from  $s$  to  $v$  cannot be longer than the shortest path from  $s$  to  $u$  followed by the edge  $(u, v)$ , and thus the inequality holds. If  $u$  is not reachable from  $s$ , then  $\delta(s, u) = \infty$ , and the inequality holds. ■

We want to show that BFS properly computes  $d[v] = \delta(s, v)$  for each vertex  $v \in V$ . We first show that  $d[v]$  bounds  $\delta(s, v)$  from above.

#### Lemma 23.2

Let  $G = (V, E)$  be a directed or undirected graph, and suppose that BFS is run on  $G$  from a given source vertex  $s \in V$ . Then upon termination, for each vertex  $v \in V$ , the value  $d[v]$  computed by BFS satisfies  $d[v] \geq \delta(s, v)$ .

**Proof** We use induction on the number of times a vertex is placed in the queue  $Q$ . Our inductive hypothesis is that  $d[v] \geq \delta(s, v)$  for all  $v \in V$ .

---

<sup>1</sup>In Chapters 25 and 26, we shall generalize our study of shortest paths to weighted graphs, in which every edge has a real-valued weight and the weight of a path is the sum of the weights of its constituent edges. The graphs considered in the present chapter are unweighted.

The basis of the induction is the situation immediately after  $s$  is placed in  $Q$  in line 8 of BFS. The inductive hypothesis holds here, because  $d[s] = 0 = \delta(s, s)$  and  $d[v] = \infty \geq \delta(s, v)$  for all  $v \in V - \{s\}$ .

For the inductive step, consider a white vertex  $v$  that is discovered during the search from a vertex  $u$ . The inductive hypothesis implies that  $d[u] \geq \delta(s, u)$ . From the assignment performed by line 14 and from Lemma 23.1, we obtain

$$\begin{aligned} d[v] &= d[u] + 1 \\ &\geq \delta(s, u) + 1 \\ &\geq \delta(s, v). \end{aligned}$$

Vertex  $v$  is then inserted into the queue  $Q$ , and it is never inserted again because it is also grayed and the **then** clause of lines 13–16 is executed only for white vertices. Thus, the value of  $d[v]$  never changes again, and the inductive hypothesis is maintained. ■

To prove that  $d[v] = \delta(s, v)$ , we must first show more precisely how the queue  $Q$  operates during the course of BFS. The next lemma shows that at all times, there are at most two distinct  $d$  values in the queue.

**Lemma 23.3**

Suppose that during the execution of BFS on a graph  $G = (V, E)$ , the queue  $Q$  contains the vertices  $\langle v_1, v_2, \dots, v_r \rangle$ , where  $v_1$  is the head of  $Q$  and  $v_r$  is the tail. Then,  $d[v_r] \leq d[v_1] + 1$  and  $d[v_i] \leq d[v_{i+1}]$  for  $i = 1, 2, \dots, r - 1$ .

**Proof** The proof is by induction on the number of queue operations. Initially, when the queue contains only  $s$ , the lemma certainly holds.

For the inductive step, we must prove the lemma holds after both dequeuing and enqueueing a vertex. If the head  $v_1$  of the queue is dequeued, the new head is  $v_2$ . (If the queue becomes empty, then the lemma holds vacuously.) But then we have  $d[v_r] \leq d[v_1] + 1 \leq d[v_2] + 1$ , and the remaining inequalities are unaffected. Thus, the lemma follows with  $v_2$  as the head. Enqueueing a vertex requires closer examination of the code. In line 16 of BFS, when the vertex  $v$  is enqueue, thus becoming  $v_{r+1}$ , the head  $v_1$  of  $Q$  is in fact the vertex  $u$  whose adjacency list is currently being scanned. Thus,  $d[v_{r+1}] = d[v] = d[u] + 1 = d[v_1] + 1$ . We also have  $d[v_r] \leq d[v_1] + 1 = d[u] + 1 = d[v] = d[v_{r+1}]$ , and the remaining inequalities are unaffected. Thus, the lemma follows when  $v$  is enqueue. ■

We can now prove that breadth-first search correctly finds shortest-path distances.

**Theorem 23.4 (Correctness of breadth-first search)**

Let  $G = (V, E)$  be a directed or undirected graph, and suppose that BFS is run on  $G$  from a given source vertex  $s \in V$ . Then, during its execution,

BFS discovers every vertex  $v \in V$  that is reachable from the source  $s$ , and upon termination,  $d[v] = \delta(s, v)$  for all  $v \in V$ . Moreover, for any vertex  $v \neq s$  that is reachable from  $s$ , one of the shortest paths from  $s$  to  $v$  is the shortest path from  $s$  to  $\pi[v]$  followed by the edge  $(\pi[v], v)$ .

**Proof** We start with the case in which  $v$  is unreachable from  $s$ . Since Lemma 23.2 gives  $d[v] \geq \delta(s, v) = \infty$ , vertex  $v$  cannot have  $d[v]$  set to a finite value in line 14. By induction, there cannot be a first vertex whose  $d$  value is set to  $\infty$  by line 14. Line 14 is therefore only executed only for vertices with finite  $d$  values. Thus, if  $v$  is unreachable, it is never discovered.

The main part of the proof is for vertices reachable from  $s$ . Let  $V_k$  denote the set of vertices at distance  $k$  from  $s$ ; that is,  $V_k = \{v \in V : \delta(s, v) = k\}$ . The proof proceeds by induction on  $k$ . As an inductive hypothesis, we assume that for each vertex  $v \in V_k$ , there is exactly one point during the execution of BFS at which

- $v$  is grayed,
- $d[v]$  is set to  $k$ ,
- if  $v \neq s$ , then  $\pi[v]$  is set to  $u$  for some  $u \in V_{k-1}$ , and
- $v$  is inserted into the queue  $Q$ .

As we have noted before, there is certainly at most one such point.

The basis is for  $k = 0$ . We have  $V_0 = \{s\}$ , since the source  $s$  is the only vertex at distance 0 from  $s$ . During the initialization,  $s$  is grayed,  $d[s]$  is set to 0, and  $s$  is placed into  $Q$ , so the inductive hypothesis holds.

For the inductive step, we start by noting that the queue  $Q$  is never empty until the algorithm terminates and that, once a vertex  $u$  is inserted into the queue, neither  $d[u]$  nor  $\pi[u]$  ever changes. By Lemma 23.3, therefore, if vertices are inserted into the queue over the course of the algorithm in the order  $v_1, v_2, \dots, v_r$ , then the sequence of distances is monotonically increasing:  $d[v_i] \leq d[v_{i+1}]$  for  $i = 1, 2, \dots, r - 1$ .

Now let us consider an arbitrary vertex  $v \in V_k$ , where  $k \geq 1$ . The monotonicity property, combined with  $d[v] \geq k$  (by Lemma 23.2) and the inductive hypothesis, implies that  $v$  must be discovered after all vertices in  $V_{k-1}$  are enqueued, if it is discovered at all.

Since  $\delta(s, v) = k$ , there is a path of  $k$  edges from  $s$  to  $v$ , and thus there exists a vertex  $u \in V_{k-1}$  such that  $(u, v) \in E$ . Without loss of generality, let  $u$  be the first such vertex grayed, which must happen since, by induction, all vertices in  $V_{k-1}$  are grayed. The code for BFS enqueues every grayed vertex, and hence  $u$  must ultimately appear as the head of the queue in line 10. When  $u$  appears as the head, its adjacency list is scanned and  $v$  is discovered. (The vertex  $v$  could not have been discovered earlier, since it is not adjacent to any vertex in  $V_j$  for  $j < k - 1$ —otherwise,  $v$  could not belong to  $V_k$ —and by assumption,  $u$  is the first vertex discovered in  $V_{k-1}$  to which  $v$  is adjacent.) Line 13 grays  $v$ , line 14 establishes  $d[v] =$

$d[u] + 1 = k$ , line 15 sets  $\pi[v]$  to  $u$ , and line 16 inserts  $v$  into the queue. Since  $v$  is an arbitrary vertex in  $V_k$ , the inductive hypothesis is proved.

To conclude the proof of the lemma, observe that if  $v \in V_k$ , then by what we have just seen,  $\pi[v] \in V_{k-1}$ . Thus, we can obtain a shortest path from  $s$  to  $v$  by taking a shortest path from  $s$  to  $\pi[v]$  and then traversing the edge  $(\pi[v], v)$ . ■

### Breadth-first trees

The procedure BFS builds a breadth-first tree as it searches the graph, as illustrated in Figure 23.3. The tree is represented by the  $\pi$  field in each vertex. More formally, for a graph  $G = (V, E)$  with source  $s$ , we define the **predecessor subgraph** of  $G$  as  $G_\pi = (V_\pi, E_\pi)$ , where

$$V_\pi = \{v \in V : \pi[v] \neq \text{NIL}\} \cup \{s\}$$

and

$$E_\pi = \{(\pi[v], v) \in E : v \in V_\pi - \{s\}\}.$$

The predecessor subgraph  $G_\pi$  is a **breadth-first tree** if  $V_\pi$  consists of the vertices reachable from  $s$  and, for all  $v \in V_\pi$ , there is a unique simple path from  $s$  to  $v$  in  $G_\pi$  that is also a shortest path from  $s$  to  $v$  in  $G$ . A breadth-first tree is in fact a tree, since it is connected and  $|E_\pi| = |V_\pi| - 1$  (see Theorem 5.2). The edges in  $E_\pi$  are called **tree edges**.

After BFS has been run from a source  $s$  on a graph  $G$ , the following lemma shows that the predecessor subgraph is a breadth-first tree.

#### Lemma 23.5

When applied to a directed or undirected graph  $G = (V, E)$ , procedure BFS constructs  $\pi$  so that the predecessor subgraph  $G_\pi = (V_\pi, E_\pi)$  is a breadth-first tree.

**Proof** Line 15 of BFS only sets  $\pi[v] = u$  if  $(u, v) \in E$  and  $\delta(s, v) < \infty$ —that is, if  $v$  is reachable from  $s$ —and thus  $V_\pi$  consists of the vertices in  $V$  reachable from  $s$ . Since  $G_\pi$  forms a tree, it contains a unique path from  $s$  to each vertex in  $V_\pi$ . By applying Theorem 23.4 inductively, we conclude that every such path is a shortest path. ■

The following procedure prints out the vertices on a shortest path from  $s$  to  $v$ , assuming that BFS has already been run to compute the shortest-path tree.

PRINT-PATH( $G, s, v$ )

```

1  if  $v = s$ 
2    then print  $s$ 
3  else if  $\pi[v] = \text{NIL}$ 
4    then print “no path from”  $s$  “to”  $v$  “exists”
5    else PRINT-PATH( $G, s, \pi[v]$ )
6    print  $v$ 

```

This procedure runs in time linear in the number of vertices in the path printed, since each recursive call is for a path one vertex shorter.

### Exercises

#### 23.2-1

Show the result of running breadth-first search on the directed graph of Figure 23.2(a), using vertex 3 as the source.

#### 23.2-2

Show the result of running breadth-first search on the undirected graph of Figure 23.3, using vertex  $u$  as the source.

#### 23.2-3

What is the running time of BFS if its input graph is represented by an adjacency matrix and the algorithm is modified to handle this form of input?

#### 23.2-4

Argue that in a breadth-first search, the value  $d[u]$  assigned to a vertex  $u$  is independent of the order in which the vertices in each adjacency list are given.

#### 23.2-5

Give an example of a directed graph  $G = (V, E)$ , a source vertex  $s \in V$ , and a set of tree edges  $E_\pi \subseteq E$  such that for each vertex  $v \in V$ , the unique path in  $E_\pi$  from  $s$  to  $v$  is a shortest path in  $G$ , yet the set of edges  $E_\pi$  cannot be produced by running BFS on  $G$ , no matter how the vertices are ordered in each adjacency list.

#### 23.2-6

Give an efficient algorithm to determine if an undirected graph is bipartite.

#### 23.2-7 ★

The *diameter* of a tree  $T = (V, E)$  is given by

$$\max_{u, v \in V} \delta(u, v);$$

that is, the diameter is the largest of all shortest-path distances in the tree. Give an efficient algorithm to compute the diameter of a tree, and analyze the running time of your algorithm.

### 23.2-8

Let  $G = (V, E)$  be an undirected graph. Give an  $O(V + E)$ -time algorithm to compute a path in  $G$  that traverses each edge in  $E$  exactly once in each direction. Describe how you can find your way out of a maze if you are given a large supply of pennies.

---

## 23.3 Depth-first search

The strategy followed by depth-first search is, as its name implies, to search “deeper” in the graph whenever possible. In depth-first search, edges are explored out of the most recently discovered vertex  $v$  that still has unexplored edges leaving it. When all of  $v$ ’s edges have been explored, the search “backtracks” to explore edges leaving the vertex from which  $v$  was discovered. This process continues until we have discovered all the vertices that are reachable from the original source vertex. If any undiscovered vertices remain, then one of them is selected as a new source and the search is repeated from that source. This entire process is repeated until all vertices are discovered.

As in breadth-first search, whenever a vertex  $v$  is discovered during a scan of the adjacency list of an already discovered vertex  $u$ , depth-first search records this event by setting  $v$ ’s predecessor field  $\pi[v]$  to  $u$ . Unlike breadth-first search, whose predecessor subgraph forms a tree, the predecessor subgraph produced by a depth-first search may be composed of several trees, because the search may be repeated from multiple sources. The **predecessor subgraph** of a depth-first search is therefore defined slightly differently from that of a breadth-first search: we let  $G_\pi = (V, E_\pi)$ , where

$$E_\pi = \{(\pi[v], v) : v \in V \text{ and } \pi[v] \neq \text{NIL}\} .$$

The predecessor subgraph of a depth-first search forms a **depth-first forest** composed of several **depth-first trees**. The edges in  $E_\pi$  are called **tree edges**.

As in breadth-first search, vertices are colored during the search to indicate their state. Each vertex is initially white, is grayed when it is **discovered** in the search, and is blackened when it is **finished**, that is, when its adjacency list has been examined completely. This technique guarantees that each vertex ends up in exactly one depth-first tree, so that these trees are disjoint.

Besides creating a depth-first forest, depth-first search also **timestamps** each vertex. Each vertex  $v$  has two timestamps: the first timestamp  $d[v]$  records when  $v$  is first discovered (and grayed), and the second timestamp  $f[v]$  records when the search finishes examining  $v$ ’s adjacency list (and

blackens  $v$ ). These timestamps are used in many graph algorithms and are generally helpful in reasoning about the behavior of depth-first search.

The procedure DFS below records when it discovers vertex  $u$  in the variable  $d[u]$  and when it finishes vertex  $u$  in the variable  $f[u]$ . These timestamps are integers between 1 and  $2|V|$ , since there is one discovery event and one finishing event for each of the  $|V|$  vertices. For every vertex  $u$ ,

$$d[u] < f[u]. \quad (23.1)$$

Vertex  $u$  is WHITE before time  $d[u]$ , GRAY between time  $d[u]$  and time  $f[u]$ , and BLACK thereafter.

The following pseudocode is the basic depth-first-search algorithm. The input graph  $G$  may be undirected or directed. The variable *time* is a global variable that we use for timestamping.

DFS( $G$ )

```

1  for each vertex  $u \in V[G]$ 
2      do  $color[u] \leftarrow \text{WHITE}$ 
3          $\pi[u] \leftarrow \text{NIL}$ 
4   $time \leftarrow 0$ 
5  for each vertex  $u \in V[G]$ 
6      do if  $color[u] = \text{WHITE}$ 
7         then DFS-VISIT( $u$ )
```

DFS-VISIT( $u$ )


```

1   $color[u] \leftarrow \text{GRAY}$            ▷ White vertex  $u$  has just been discovered.
2   $d[u] \leftarrow time \leftarrow time + 1$ 
3  for each  $v \in Adj[u]$            ▷ Explore edge  $(u, v)$ .
4      do if  $color[v] = \text{WHITE}$ 
5         then  $\pi[v] \leftarrow u$ 
6             DFS-VISIT( $v$ )
7   $color[u] \leftarrow \text{BLACK}$        ▷ Blacken  $u$ ; it is finished.
8   $f[u] \leftarrow time \leftarrow time + 1$ 
```

Figure 23.4 illustrates the progress of DFS on the graph shown in Figure 23.2.

Procedure DFS works as follows. Lines 1–3 paint all vertices white and initialize their  $\pi$  fields to NIL. Line 4 resets the global time counter. Lines 5–7 check each vertex in  $V$  in turn and, when a white vertex is found, visit it using DFS-VISIT. Every time DFS-VISIT( $u$ ) is called in line 7, vertex  $u$  becomes the root of a new tree in the depth-first forest. When DFS returns, every vertex  $u$  has been assigned a discovery time  $d[u]$  and a finishing time  $f[u]$ .

In each call DFS-VISIT( $u$ ), vertex  $u$  is initially white. Line 1 paints  $u$  gray, and line 2 records the discovery time  $d[u]$  by incrementing and saving



**Figure 23.4** The progress of the depth-first-search algorithm DFS on a directed graph. As edges are explored by the algorithm, they are shown as either shaded (if they are tree edges) or dashed (otherwise). Nontree edges are labeled B, C, or F according to whether they are back, cross, or forward edges. Vertices are timestamped by discovery time/finishing time.

the global variable *time*. Lines 3–6 examine each vertex  $v$  adjacent to  $u$  and recursively visit  $v$  if it is white. As each vertex  $v \in \text{Adj}[u]$  is considered in line 3, we say that edge  $(u, v)$  is **explored** by the depth-first search. Finally, after every edge leaving  $u$  has been explored, lines 7–8 paint  $u$  black and record the finishing time in  $f[u]$ .

What is the running time of DFS? The loops on lines 1–2 and lines 5–7 of DFS take time  $\Theta(V)$ , exclusive of the time to execute the calls to DFS-VISIT. The procedure DFS-VISIT is called exactly once for each vertex  $v \in V$ , since DFS-VISIT is invoked only on white vertices and the first thing it does is paint the vertex gray. During an execution of DFS-VISIT( $v$ ), the loop on lines 3–6 is executed  $|\text{Adj}[v]|$  times. Since

$$\sum_{v \in V} |\text{Adj}[v]| = \Theta(E),$$

the total cost of executing lines 2–5 of DFS-VISIT is  $\Theta(E)$ . The running time of DFS is therefore  $\Theta(V + E)$ .

### Properties of depth-first search

Depth-first search yields much information about the structure of a graph. Perhaps the most basic property of depth-first search is that the predecessor subgraph  $G_\pi$  does indeed form a forest of trees, since the structure of the depth-first trees exactly mirrors the structure of recursive calls of DFS-VISIT. That is,  $u = \pi[v]$  if and only if DFS-VISIT( $v$ ) was called during a search of  $u$ 's adjacency list.

Another important property of depth-first search is that discovery and finishing times have **parenthesis structure**. If we represent the discovery of vertex  $u$  with a left parenthesis “( $u$ ” and represent its finishing by a right parenthesis “ $u$ ),” then the history of discoveries and finishings makes a well-formed expression in the sense that the parentheses are properly nested. For example, the depth-first search of Figure 23.5(a) corresponds to the parenthesization shown in Figure 23.5(b). Another way of stating the condition of parenthesis structure is given in the following theorem.

#### **Theorem 23.6 (Parenthesis theorem)**

In any depth-first search of a (directed or undirected) graph  $G = (V, E)$ , for any two vertices  $u$  and  $v$ , exactly one of the following three conditions holds:

- the intervals  $[d[u], f[u]]$  and  $[d[v], f[v]]$  are entirely disjoint,
- the interval  $[d[u], f[u]]$  is contained entirely within the interval  $[d[v], f[v]]$ , and  $u$  is a descendant of  $v$  in the depth-first tree, or
- the interval  $[d[v], f[v]]$  is contained entirely within the interval  $[d[u], f[u]]$ , and  $v$  is a descendant of  $u$  in the depth-first tree.


**Proof** We begin with the case in which  $d[u] < d[v]$ . There are two subcases to consider, according to whether  $d[v] < f[u]$  or not. In the first subcase,  $d[v] < f[u]$ , so  $v$  was discovered while  $u$  was still gray. This implies that  $v$  is a descendant of  $u$ . Moreover, since  $v$  was discovered more recently than  $u$ , all of its outgoing edges are explored, and  $v$  is finished, before the search returns to and finishes  $u$ . In this case, therefore, the interval  $[d[v], f[v]]$  is entirely contained within the interval  $[d[u], f[u]]$ . In the other subcase,  $f[u] < d[v]$ , and inequality (23.1) implies that the intervals  $[d[u], f[u]]$  and  $[d[v], f[v]]$  are disjoint.

The case in which  $d[v] < d[u]$  is similar, with the roles of  $u$  and  $v$  reversed in the above argument. ■

#### **Corollary 23.7 (Nesting of descendants' intervals)**

Vertex  $v$  is a proper descendant of vertex  $u$  in the depth-first forest for a (directed or undirected) graph  $G$  if and only if  $d[u] < d[v] < f[v] < f[u]$ .

**Proof** Immediate from Theorem 23.6. ■



**Figure 23.5** Properties of depth-first search. (a) The result of a depth-first search of a directed graph. Vertices are timestamped and edge types are indicated as in Figure 23.4. (b) Intervals for the discovery time and finishing time of each vertex correspond to the parenthesization shown. Each rectangle spans the interval given by the discovery and finishing times of the corresponding vertex. Tree edges are shown. If two intervals overlap, then one is nested within the other, and the vertex corresponding to the smaller interval is a descendant of the vertex corresponding to the larger. (c) The graph of part (a) redrawn with all tree and forward edges going down within a depth-first tree and all back edges going up from a descendant to an ancestor.

The next theorem gives another important characterization of when one vertex is a descendant of another in the depth-first forest.

**Theorem 23.8 (White-path theorem)**

In a depth-first forest of a (directed or undirected) graph  $G = (V, E)$ , vertex  $v$  is a descendant of vertex  $u$  if and only if at the time  $d[u]$  that the search discovers  $u$ , vertex  $v$  can be reached from  $u$  along a path consisting entirely of white vertices.

**Proof**  $\Rightarrow$ : Assume that  $v$  is a descendant of  $u$ . Let  $w$  be any vertex on the path between  $u$  and  $v$  in the depth-first tree, so that  $w$  is a descendant of  $u$ . By Corollary 23.7,  $d[u] < d[w]$ , and so  $w$  is white at time  $d[u]$ .

$\Leftarrow$ : Suppose that vertex  $v$  is reachable from  $u$  along a path of white vertices at time  $d[u]$ , but  $v$  does not become a descendant of  $u$  in the depth-first tree. Without loss of generality, assume that every other vertex along the path becomes a descendant of  $u$ . (Otherwise, let  $v$  be the closest vertex to  $u$  along the path that doesn't become a descendant of  $u$ .) Let  $w$  be the predecessor of  $v$  in the path, so that  $w$  is a descendant of  $u$  ( $w$  and  $u$  may in fact be the same vertex) and, by Corollary 23.7,  $f[w] \leq f[u]$ . Note that  $v$  must be discovered after  $u$  is discovered, but before  $w$  is finished. Therefore,  $d[u] < d[v] < f[w] \leq f[u]$ . Theorem 23.6 then implies that the interval  $[d[v], f[v]]$  is contained entirely within the interval  $[d[u], f[u]]$ . By Corollary 23.7,  $v$  must after all be a descendant of  $u$ . ■

### Classification of edges

Another interesting property of depth-first search is that the search can be used to classify the edges of the input graph  $G = (V, E)$ . This edge classification can be used to glean important information about a graph. For example, in the next section, we shall see that a directed graph is acyclic if and only if a depth-first search yields no “back” edges (Lemma 23.10).

We can define four edge types in terms of the depth-first forest  $G_\pi$  produced by a depth-first search on  $G$ .

1. **Tree edges** are edges in the depth-first forest  $G_\pi$ . Edge  $(u, v)$  is a tree edge if  $v$  was first discovered by exploring edge  $(u, v)$ .
2. **Back edges** are those edges  $(u, v)$  connecting a vertex  $u$  to an ancestor  $v$  in a depth-first tree. Self-loops are considered to be back edges.
3. **Forward edges** are those nontree edges  $(u, v)$  connecting a vertex  $u$  to a descendant  $v$  in a depth-first tree.
4. **Cross edges** are all other edges. They can go between vertices in the same depth-first tree, as long as one vertex is not an ancestor of the other, or they can go between vertices in different depth-first trees.

In Figures 23.4 and 23.5, edges are labeled to indicate their type. Figure 23.5(c) also shows how the graph of Figure 23.5(a) can be redrawn so

that all tree and forward edges head downward in a depth-first tree and all back edges go up. Any graph can be redrawn in this fashion.

The DFS algorithm can be modified to classify edges as it encounters them. The key idea is that each edge  $(u, v)$  can be classified by the color of the vertex  $v$  that is reached when the edge is first explored (except that forward and cross edges are not distinguished):

1. WHITE indicates a tree edge,
2. GRAY indicates a back edge, and
3. BLACK indicates a forward or cross edge.

The first case is immediate from the specification of the algorithm. For the second case, observe that the gray vertices always form a linear chain of descendants corresponding to the stack of active DFS-VISIT invocations; the number of gray vertices is one more than the depth in the depth-first forest of the vertex most recently discovered. Exploration always proceeds from the deepest gray vertex, so an edge that reaches another gray vertex reaches an ancestor. The third case handles the remaining possibility; it can be shown that such an edge  $(u, v)$  is a forward edge if  $d[u] < d[v]$  and a cross edge if  $d[u] > d[v]$ . (See Exercise 23.3-4.)

In an undirected graph, there may be some ambiguity in the type classification, since  $(u, v)$  and  $(v, u)$  are really the same edge. In such a case, the edge is classified as the *first* type in the classification list that applies. Equivalently (see Exercise 23.3-5), the edge is classified according to whichever of  $(u, v)$  or  $(v, u)$  is encountered first during the execution of the algorithm.

We now show that forward and cross edges never occur in a depth-first search of an undirected graph.

### **Theorem 23.9**

In a depth-first search of an undirected graph  $G$ , every edge of  $G$  is either a tree edge or a back edge.


**Proof** Let  $(u, v)$  be an arbitrary edge of  $G$ , and suppose without loss of generality that  $d[u] < d[v]$ . Then,  $v$  must be discovered and finished before we finish  $u$ , since  $v$  is on  $u$ 's adjacency list. If the edge  $(u, v)$  is explored first in the direction from  $u$  to  $v$ , then  $(u, v)$  becomes a tree edge. If  $(u, v)$  is explored first in the direction from  $v$  to  $u$ , then  $(u, v)$  is a back edge, since  $u$  is still gray at the time the edge is first explored. ■

We shall see many applications of these theorems in the following sections.

### **Exercises**

#### **23.3-1**

Make a 3-by-3 chart with row and column labels WHITE, GRAY, and BLACK. In each cell  $(i, j)$ , indicate whether, at any point during a depth-first search



**Figure 23.6** A directed graph for use in Exercises 23.3-2 and 23.5-2.

of a directed graph, there can be an edge from a vertex of color  $i$  to a vertex of color  $j$ . For each possible edge, indicate what edge types it can be. Make a second such chart for depth-first search of an undirected graph.

### 23.3-2

Show how depth-first search works on the graph of Figure 23.6. Assume that the **for** loop of lines 5–7 of the DFS procedure considers the vertices in alphabetical order, and assume that each adjacency list is ordered alphabetically. Show the discovery and finishing times for each vertex, and show the classification of each edge.

### 23.3-3

Show the parenthesis structure of the depth-first search shown in Figure 23.4.

### 23.3-4

Show that edge  $(u, v)$  is

- a.** a tree edge or forward edge if and only if  $d[u] < d[v] < f[v] < f[u]$ ,
- b.** a back edge if and only if  $d[v] < d[u] < f[u] < f[v]$ , and
- c.** a cross edge if and only if  $d[v] < f[v] < d[u] < f[u]$ .

### 23.3-5

Show that in an undirected graph, classifying an edge  $(u, v)$  as a tree edge or a back edge according to whether  $(u, v)$  or  $(v, u)$  is encountered first during the depth-first search is equivalent to classifying it according to the priority of types in the classification scheme.

### 23.3-6

Give a counterexample to the conjecture that if there is a path from  $u$  to  $v$  in a directed graph  $G$ , and if  $d[u] < d[v]$  in a depth-first search of  $G$ , then  $v$  is a descendant of  $u$  in the depth-first forest produced.

**23.3-7**

Modify the pseudocode for depth-first search so that it prints out every edge in the directed graph  $G$ , together with its type. Show what modifications, if any, must be made if  $G$  is undirected.

**23.3-8**

Explain how a vertex  $u$  of a directed graph can end up in a depth-first tree containing only  $u$ , even though  $u$  has both incoming and outgoing edges in  $G$ .

**23.3-9**

Show that a depth-first search of an undirected graph  $G$  can be used to identify the connected components of  $G$ , and that the depth-first forest contains as many trees as  $G$  has connected components. More precisely, show how to modify depth-first search so that each vertex  $v$  is assigned an integer label  $cc[v]$  between 1 and  $k$ , where  $k$  is the number of connected components of  $G$ , such that  $cc[u] = cc[v]$  if and only if  $u$  and  $v$  are in the same connected component.

**23.3-10 ★**

A directed graph  $G = (V, E)$  is **singly connected** if  $u \rightsquigarrow v$  implies that there is at most one simple path from  $u$  to  $v$  for all vertices  $u, v \in V$ . Give an efficient algorithm to determine whether or not a directed graph is singly connected.

---

**23.4 Topological sort**

This section shows how depth-first search can be used to perform topological sorts of directed acyclic graphs, or “dags” as they are sometimes called. A **topological sort** of a dag  $G = (V, E)$  is a linear ordering of all its vertices such that if  $G$  contains an edge  $(u, v)$ , then  $u$  appears before  $v$  in the ordering. (If the graph is not acyclic, then no linear ordering is possible.) A topological sort of a graph can be viewed as an ordering of its vertices along a horizontal line so that all directed edges go from left to right. Topological sorting is thus different from the usual kind of “sorting” studied in Part II.

Directed acyclic graphs are used in many applications to indicate precedences among events. Figure 23.7 gives an example that arises when Professor Bumstead gets dressed in the morning. The professor must don certain garments before others (e.g., socks before shoes). Other items may be put on in any order (e.g., socks and pants). A directed edge  $(u, v)$  in the dag of Figure 23.7(a) indicates that garment  $u$  must be donned before garment  $v$ . A topological sort of this dag therefore gives an order for getting dressed. Figure 23.7(b) shows the topologically sorted dag as an ordering